

DUO CANNES

PMMA LED cooler lighting fixture



Via Leonardo da Vinci, 24/A Corsico (MI), 20094 - Tel. 02 95 327 303



Features

- Duo Cannes can light up two sides of most refrigerators, chillers and cabinets.
- Food display versions are available.
- IP54 rating with PMMA extrusion.
- Different configurations available upon request.
- Max length available: 3130mm.

Specifications / data per meter

Electrical

Power	19.2W
Input voltage	12V / 24V DC
Consumption	19.2W (Max)

LED

Type	2835
QTY	240 pcs
CCT	2700K-6500K
CRI	>80 Ra

Light Output

Beam angle	240°
Efficiency	110-120 Lm/W
Lumen	2125 Lm (Clear)

Food Display Versions

Meat:	CCT-Pink
Fish:	CCT-10000K
Vegetable & Fruit:	CRI>97 Ra

Working Temperature

-25°C / -35°C ~ +45°C

IP Rating

IP54

Appearance

Material	PMMA
Dimensions	L1030 x W18.4 x H10 mm
Max Length	3130 mm
Diffuser	Clear


Accessories

Spring steel clip / Magnetic clip / Magnetic tape

Wire Exit

Linear + 90° x 3 ways out

Mechanical Structure





• Light fixture length rules

Fixture Length (mm)	Profile Length (mm)	PCB Length (mm)
130	121	100
180	171	150
230	221	200
280	271	250
330	321	300
380	371	350
430	421	400
480	471	450
530	521	500
580	571	550
630	621	600
680	671	650
730	721	700


Fixture Length (mm)	Profile Length (mm)	PCB Length (mm)
780	781	750
830	821	800
880	871	850
930	921	900
980	971	950
1030	1021	1000
1530	1521	1500
...		
2030	2021	2000
...		
2530	2521	2500
...		
3130	3121	3100

Installation

• Mounting



Clip with screws




Clip with magnet



Magnetic strip

Connection Diagram



Applications

